

Geiger Tube and Arduino-Based Monitoring of Ionizing Radiation in São José dos Campos, Brazil

Dr. Liam O'Connor*¹ & Dr. Oscar M. Williams²

^{*1} Assistant Professor, Department of Mathematics, Trinity College Dublin, Dublin 2, Ireland

² Assistant Professor, Department of Mathematics, University of Canterbury, Christchurch 8041, New Zealand

ABSTRACT

The solutions of many advanced engineering problems like Fick's second law, heat and mass transfer problems, vibrating beams problems contains error and complementary error function. When we use any integral transform to solve these types of problems, it is very necessary to know the integral transform of error function. In this article, we find the Sadik transform of error and complementary error functions. To demonstrate the usefulness of Sadik transform of error function, some numerical applications are considered in application section for solving improper integrals which contain error function. It is pointed out that Sadik transform give the exact solution of improper integral which contains error function without any tedious calculation work.

Keywords: Sadik transform, Error function, Complementary error function, Improper integral.

AMS SUBJECT CLASSIFICATION: 44A05, 44A20, 44A35

I. INTRODUCTION

Integral transforms are highly efficient for solving many advance problems of science and engineering such as radioactive decay problems, heat conduction problems, problem of motion of a particle under gravity, vibration problems of beam, electric circuit problems and population growth problems. Many researchers applied different integral transforms (Laplace transform [1-2], Fourier transform [2], Kamal transform [3-10, 48-49], Aboodh transform [11-16, 50-53], Mahgoub transform [17-25, 45-47], Mohand transform [26-29, 36, 54-56], Elzaki transform [37-40, 57-59], Shehu transform [41-43, 60] Sumudu transform [44, 61-62] and Sadik transform [63-65]) and solved differential equations, delay differential equations, partial differential equations, integral equations, integro-differential equations and partial integro-differential equations. Sudhanshu et al. [30-35] discussed the comparative study of Mohand and other transforms (Laplace transform, Kamal transform, Elzaki transform, Aboodh transform, Sumudu transform and Mahgoub transform).

Error function occurs frequently in probability, physics, thermodynamics, statistics, mathematics and many engineering problems like heat conduction problems, vibrating beams problems etc. The error function is also known as the probability integral. The error function is a special function because it cannot be evaluated by usual methods of integration. Mathematically error and complimentary error functions are defined by [66-71].

$$erf(x) = \frac{2}{\sqrt{\pi}} \int_0^x e^{-t^2} dt \quad (1)$$

and

$$erfc(x) = \frac{2}{\sqrt{\pi}} \int_x^\infty e^{-t^2} dt \quad (2)$$

The Sadik transform of the function $F(t)$ for all $t \geq 0$ is defined as [63]:

$$S\{F(t)\} = \frac{1}{v^\beta} \int_0^\infty F(t)e^{-tv^\alpha} dt = T(v^\alpha, \beta), \tag{3}$$

where v is complex variable and $\alpha \neq 0$ & β are any real numbers. Here S is called the Sadik transform operator. The main purpose of the present article is to determine Sadik transform of error function and explain the importance of Sadik transform of error function by giving some numerical applications in application section of this paper.

II. SOME USEFUL PROPERTIES OF SADIK TRANSFORM

2.1 Linearity property of Sadik transforms:

If Sadik transform of functions $F_1(t)$ and $F_2(t)$ are $T_1(v^\alpha, \beta)$ and $T_2(v^\alpha, \beta)$ respectively then Shehu transform of $[aF_1(t) + bF_2(t)]$ is given by $[aT_1(v^\alpha, \beta) + bT_2(v^\alpha, \beta)]$, where a, b are arbitrary constants.

Proof: By the definition of Sadik transform, we have

$$\begin{aligned} S\{F(t)\} &= \frac{1}{v^\beta} \int_0^\infty F(t)e^{-tv^\alpha} dt \\ \Rightarrow S\{aF_1(t) + bF_2(t)\} &= \frac{1}{v^\beta} \int_0^\infty [aF_1(t) + bF_2(t)]e^{-tv^\alpha} dt \\ \Rightarrow S\{aF_1(t) + bF_2(t)\} &= a \left[\frac{1}{v^\beta} \int_0^\infty F_1(t)e^{-tv^\alpha} dt \right] + b \left[\frac{1}{v^\beta} \int_0^\infty F_2(t)e^{-tv^\alpha} dt \right] \\ \Rightarrow S\{aF_1(t) + bF_2(t)\} &= aS\{F_1(t)\} + bS\{F_2(t)\} \\ \Rightarrow S\{aF_1(t) + bF_2(t)\} &= aT_1(v^\alpha, \beta) + bT_2(v^\alpha, \beta), \text{ where } a, b \text{ are arbitrary constants.} \end{aligned}$$

2.2 Change of scale property of Sadik transforms:

If Sadik transform of function $F(t)$ is $T(v^\alpha, \beta)$ then Sadik transform of function $F(at)$ is given by $\frac{1}{a}T\left(\frac{v^\alpha}{a}, \beta\right)$.

Proof: By the definition of Sadik transform, we have

$$\begin{aligned} S\{F(at)\} &= \frac{1}{v^\beta} \int_0^\infty F(at)e^{-tv^\alpha} dt \\ \tag{4} \\ \text{Put } at = p \Rightarrow adt &= dp \text{ in equation (4), we have} \\ S\{F(at)\} &= \frac{1}{a} \cdot \frac{1}{v^\beta} \int_0^\infty F(p)e^{-\frac{pv^\alpha}{a}} dp \\ \Rightarrow S\{F(at)\} &= \frac{1}{a} \left[\frac{1}{v^\beta} \int_0^\infty F(p)e^{-p\left(\frac{v^\alpha}{a}\right)} dp \right] \\ \Rightarrow S\{F(at)\} &= \frac{1}{a} T\left(\frac{v^\alpha}{a}, \beta\right) \end{aligned}$$

2.3 Shifting property of Sadik transform:

If Sadik transform of function $F(t)$ is $T(v^\alpha, \beta)$ then Sadik transform of function $e^{at}F(t)$ is given by $T(v^\alpha - a, \beta)$.

Proof: By the definition of Sadik transform, we have

$$\begin{aligned} S\{e^{at}F(t)\} &= \frac{1}{v^\beta} \int_0^\infty e^{at}F(at)e^{-tv^\alpha} dt \\ \Rightarrow S\{e^{at}F(t)\} &= \frac{1}{v^\beta} \int_0^\infty F(t)e^{-(v^\alpha - a)t} dt \\ \Rightarrow S\{e^{at}F(t)\} &= T(v^\alpha - a, \beta) \end{aligned}$$

2.4 Sadik transform of the derivatives of the function $F(t)$ [63-64]:

If $S\{F(t)\} = T(v^\alpha, \beta)$ then

- a) $S\{F'(t)\} = v^\alpha T(v^\alpha, \beta) - \frac{F(0)}{v^\beta}$
- b) $S\{F''(t)\} = v^{2\alpha} T(v^\alpha, \beta) - \frac{F'(0)}{v^\beta} - v^\alpha \frac{F(0)}{v^\beta}$

$$c) \quad S\{F^{(n)}(t)\} = v^{n\alpha}T(v^\alpha, \beta) - v^{(n-1)\alpha}\frac{F(0)}{v^\beta} - v^{(n-2)\alpha}\frac{F'(0)}{v^\beta} - \dots - \frac{F^{(n-1)}(0)}{v^\beta}.$$

2.5 Sadik transform of integral of a function F(t):

If $S\{F(t)\} = T(v^\alpha, \beta)$ then

$$S\left\{\int_0^t F(t)dt\right\} = \frac{1}{v^\alpha}T(v^\alpha, \beta).$$

Proof: Let $G(t) = \int_0^t F(t)dt$. Then $G'(t) = F(t)$ and $G(0) = 0$.

Now by the property of Sadik transform of the derivative of function, we have

$$S\{G'(t)\} = v^\alpha S\{G(t)\} - \frac{G(0)}{v^\beta} = v^\alpha S\{G(t)\}$$

$$\Rightarrow S\{G(t)\} = \frac{1}{v^\alpha} S\{G'(t)\} = \frac{1}{v^\alpha} S\{F(t)\}$$

$$\Rightarrow S\{G(t)\} = \frac{1}{v^\alpha} T(v^\alpha, \beta)$$

$$\Rightarrow S\left\{\int_0^t F(t)dt\right\} = \frac{1}{v^\alpha} T(v^\alpha, \beta)$$

2.6 Convolution theorem for Sadik transforms:

If Sadik transform of functions $F_1(t)$ and $F_2(t)$ are $T_1(v^\alpha, \beta)$ and $T_2(v^\alpha, \beta)$ respectively then Sadik transform of their convolution $F_1(t) * F_2(t)$ is given by

$$S\{F_1(t) * F_2(t)\} = v^\beta S\{F_1(t)\}S\{F_2(t)\}$$

$\Rightarrow S\{F_1(t) * F_2(t)\} = v^\beta T_1(v^\alpha, \beta)T_2(v^\alpha, \beta)$, where $F_1(t) * F_2(t)$ is defined by

$$F_1(t) * F_2(t) = \int_0^t F_1(t-x)F_2(x)dx = \int_0^t F_1(x)F_2(t-x)dx.$$

Proof: By the definition of Sadik transform, we have

$$S\{F_1(t) * F_2(t)\} = \frac{1}{v^\beta} \int_0^\infty [F_1(t) * F_2(t)]e^{-tv^\alpha} dt$$

$$\Rightarrow S\{F_1(t) * F_2(t)\} = \frac{1}{v^\beta} \int_0^\infty e^{-tv^\alpha} \left[\int_0^t F_1(t-x)F_2(x)dx \right] dt$$

By changing the order of integration, we have

$$S\{F_1(t) * F_2(t)\} = \int_0^\infty F_2(x) \left[\frac{1}{v^\beta} \int_x^\infty e^{-tv^\alpha} F_1(t-x) dt \right] dx$$

Put $t-x = p$ so that $dt = dp$ in above equation, we have

$$S\{F_1(t) * F_2(t)\} = \int_0^\infty F_2(x) \left[\frac{1}{v^\beta} \int_0^\infty e^{-(p+x)v^\alpha} F_1(p) dp \right] dx$$

$$\Rightarrow S\{F_1(t) * F_2(t)\} = \int_0^\infty F_2(x)e^{-xv^\alpha} \left[\frac{1}{v^\beta} \int_0^\infty e^{-pv^\alpha} F_1(p) dp \right] dx$$

$$= \int_0^\infty F_2(x)e^{-xv^\alpha} [S\{F_1(t)\}] dx = [S\{F_1(t)\}] \int_0^\infty F_2(x)e^{-xv^\alpha} dx$$

$$= [T_1(v^\alpha, \beta)]v^\beta \left[\frac{1}{v^\beta} \int_0^\infty F_2(x)e^{-xv^\alpha} dx \right] = v^\beta S\{F_1(t)\}S\{F_2(t)\}$$

$$\Rightarrow S\{F_1(t) * F_2(t)\} = v^\beta T_1(v^\alpha, \beta)T_2(v^\alpha, \beta).$$

III. SADIK TRANSFORM OF FREQUENTLY ENCOUNTERED FUNCTIONS [63, 65]

Table: 1

S.N.	$F(t)$	$S\{F(t)\} = T(v^\alpha, \beta)$
1.	1	$\frac{1}{v^{\alpha+\beta}}$
2.	t	$\frac{1}{v^{2\alpha+\beta}}$

3.	t^2	$\frac{2!}{v^{3\alpha+\beta}}$
4.	$t^n, n \in N$	$\frac{n!}{v^{(n+1)\alpha+\beta}}$
5.	$t^n, n > -1$	$\frac{\Gamma(n+1)}{v^{(n+1)\alpha+\beta}}$
6.	e^{at}	$\frac{1}{v^\beta(v^\alpha - a)}$
7.	$sinat$	$\frac{a}{v^\beta(v^{2\alpha} + a^2)}$
8.	$cosat$	$\frac{v^\alpha}{v^\beta(v^{2\alpha} + a^2)}$
9.	$sinhat$	$\frac{a}{v^\beta(v^{2\alpha} - a^2)}$
10.	$coshat$	$\frac{v^\alpha}{v^\beta(v^{2\alpha} - a^2)}$

IV. SOME IMPORTANT PROPERTIES OF ERROR AND COMPLEMENTARY ERROR FUNCTIONS

4.1 The sum of error and complementary error functions is unity:

$$erf(x) + erfc(x) = 1$$

Proof: we have $\int_0^\infty e^{-t^2} dt = \frac{\sqrt{\pi}}{2}$

$$\Rightarrow \frac{2}{\sqrt{\pi}} \int_0^\infty e^{-t^2} dt = 1$$

$$\Rightarrow \frac{2}{\sqrt{\pi}} \int_0^x e^{-t^2} dt + \frac{2}{\sqrt{\pi}} \int_x^\infty e^{-t^2} dt = 1$$

$$\Rightarrow erf(x) + erfc(x) = 1$$

4.2 Error function is an odd function:

$$erf(-x) = -erf(x)$$

4.3 The value of error function at $x = 0$ is 0:

$$erf(0) = 0.$$

4.4 The value of complementary error function at $x = 0$ is 1:

$$erfc(0) = 1.$$

4.5 The domain of error and complementary error functions is $(-\infty, \infty)$.

4.6 $erf(x) \rightarrow 1$ as $x \rightarrow \infty$.

4.7 $erfc(x) \rightarrow 0$ as $x \rightarrow \infty$.

4.8 The value of error functions $erf(x)$ for different values of x [67]:

Table: 2

S.N.	x	$erf(x)$
1.	0.00	0.00000

2.	0.02	0.02256
3.	0.04	0.04511
4.	0.06	0.06762
5.	0.08	0.09008
6.	0.10	0.11246
7.	0.12	0.13476
8.	0.14	0.15695
9.	0.16	0.17901
10.	0.18	0.20094
11.	0.20	0.22270

V. SADIK TRANSFORM OF ERROR FUNCTION

By equation (1), we have

$$\begin{aligned}
 erf(\sqrt{t}) &= \frac{2}{\sqrt{\pi}} \int_0^{\sqrt{t}} e^{-x^2} dx \\
 &= \frac{2}{\sqrt{\pi}} \int_0^{\sqrt{t}} \left[1 - \frac{x^2}{1!} + \frac{x^4}{2!} - \frac{x^6}{3!} + \dots \dots \right] dx \\
 &= \frac{2}{\sqrt{\pi}} \left[x - \frac{x^3}{3.1!} + \frac{x^5}{5.2!} - \frac{x^7}{7.3!} + \dots \dots \right] \sqrt{t} \\
 &= \frac{2}{\sqrt{\pi}} \left[t^{1/2} - \frac{t^{3/2}}{3.1!} + \frac{t^{5/2}}{5.2!} - \frac{t^{7/2}}{7.3!} + \dots \dots \right]
 \end{aligned}$$

(5)

Applying Sadik transform both sides on equation (5), we get

$$S\{erf(\sqrt{t})\} = \frac{2}{\sqrt{\pi}} S\left\{ \left[t^{1/2} - \frac{t^{3/2}}{3.1!} + \frac{t^{5/2}}{5.2!} - \frac{t^{7/2}}{7.3!} + \dots \dots \right] \right\}$$

(6)

Applying the linearity property of Sadik transform on equation (6), we get

$$\begin{aligned}
 S\{erf(\sqrt{t})\} &= \frac{2}{\sqrt{\pi}} \left[\frac{\Gamma(\frac{3}{2})}{v^{(3/2)\alpha+\beta}} - \frac{\Gamma(\frac{5}{2})}{3.1!} \left[\frac{1}{v^{(5/2)\alpha+\beta}} \right] + \frac{\Gamma(\frac{7}{2})}{5.2!} \left[\frac{1}{v^{(7/2)\alpha+\beta}} \right] - \frac{\Gamma(\frac{9}{2})}{7.3!} \left[\frac{1}{v^{(9/2)\alpha+\beta}} \right] + \dots \dots \right] \\
 &= \frac{2}{\sqrt{\pi}} \frac{\Gamma(\frac{3}{2})}{v^{(3/2)\alpha+\beta}} \left[1 - \frac{1}{2} \left(\frac{1}{v^\alpha} \right) + \frac{1.3}{2.4} \left(\frac{1}{v^\alpha} \right)^2 - \frac{1.3.5}{2.4.6} \left(\frac{1}{v^\alpha} \right)^3 + \dots \dots \dots \right] \\
 &= \frac{1}{v^{(3/2)\alpha+\beta}} \left(1 + \frac{1}{v^\alpha} \right)^{-1/2} = \frac{1}{v^{\alpha+\beta} \sqrt{1+v^\alpha}}
 \end{aligned}$$

(7)

VI. SADIK TRANSFORM OF COMPLEMENTARY ERROR FUNCTION

We have, $erf(\sqrt{t}) + erfc(\sqrt{t}) = 1$

$$\Rightarrow erfc(\sqrt{t}) = 1 - erf(\sqrt{t})$$

(8)

Applying Sadik transform both sides on equation (8), we have

$$S\{erfc(\sqrt{t})\} = S\{1 - erf(\sqrt{t})\}$$

(9)

Applying the linearity property of Sadik transform on equation (9), we get

$$\begin{aligned}
 S\{erfc(\sqrt{t})\} &= S\{1\} - S\{erf(\sqrt{t})\} \\
 \Rightarrow S\{erfc(\sqrt{t})\} &= \frac{1}{v^{\alpha+\beta}} - \frac{1}{v^{\alpha+\beta}\sqrt{(1+v^\alpha)}} \\
 \Rightarrow S\{erfc(\sqrt{t})\} &= \frac{1}{v^{\alpha+\beta}} \left[\frac{\sqrt{(1+v^\alpha)}-1}{\sqrt{(1+v^\alpha)}} \right]
 \end{aligned}$$

(10)

VII. APPLICATIONS

In this section, some applications are given in order to explain the advantage of Sadik transform of error function for evaluating the improper integral, which contain error function.

7.1 Evaluate the improper integral $I = \int_0^\infty e^{-t} erf(\sqrt{t}) dt$.

$$\begin{aligned}
 \text{We have } S\{erf(\sqrt{t})\} &= \frac{1}{v^\beta} \int_0^\infty erf(\sqrt{t}) e^{-tv^\alpha} dt \\
 \Rightarrow S\{erf(\sqrt{t})\} &= \frac{1}{v^{\alpha+\beta}\sqrt{(1+v^\alpha)}}
 \end{aligned}$$

(11)

Taking $v^\alpha \rightarrow 1$ in above equation, we have

$$\begin{aligned}
 \frac{1}{v^\beta} \int_0^\infty e^{-t} erf(\sqrt{t}) dt &= \frac{1}{v^\beta \cdot \sqrt{2}} \\
 \Rightarrow I = \int_0^\infty e^{-t} erf(\sqrt{t}) dt &= \frac{1}{\sqrt{2}}
 \end{aligned}$$

7.2 Evaluate the improper integral $I = \int_0^\infty e^{-(v-2)t} erf(\sqrt{t}) dt$.

$$\text{We have } S\{erf(\sqrt{t})\} = \frac{1}{v^{\alpha+\beta}\sqrt{(1+v^\alpha)}}$$

Now by shifting theorem of Sadik transform, we have

$$\begin{aligned}
 S\{e^{2t} erf(\sqrt{t})\} &= \left[\frac{1}{v^\beta(v^\alpha - 2)\sqrt{(1+v^\alpha - 2)}} \right] \\
 \Rightarrow S\{e^{2t} erf(\sqrt{t})\} &= \left[\frac{1}{v^\beta(v^\alpha - 2)\sqrt{(v^\alpha - 1)}} \right]
 \end{aligned}$$

(12)

By the definition of Sadik transform, we have

$$\begin{aligned}
 S\{e^{2t} erf(\sqrt{t})\} &= \frac{1}{v^\beta} \int_0^\infty e^{2t} erf(\sqrt{t}) e^{-tv^\alpha} dt \\
 \Rightarrow S\{e^{2t} erf(\sqrt{t})\} &= \frac{1}{v^\beta} \int_0^\infty e^{-(v^\alpha - 2)t} erf(\sqrt{t}) dt
 \end{aligned}$$

(13)

Now by equations (12) and (13), we get

$$\frac{1}{v^\beta} \int_0^\infty e^{-(v^\alpha - 2)t} erf(\sqrt{t}) dt = \frac{1}{v^\beta(v^\alpha - 2)\sqrt{(v^\alpha - 1)}}$$

Taking $\alpha \rightarrow 1$ in above equation, we have

$$\Rightarrow I = \int_0^\infty e^{-(v-2)t} erf(\sqrt{t}) dt = \frac{1}{(v - 2)\sqrt{(v - 1)}}$$

7.3 Evaluate the improper integral $I = \int_0^\infty e^{-t} \left\{ \int_0^t erf(\sqrt{x}) dx \right\} dt$.

$$\text{We have } S\{erf(\sqrt{t})\} = \frac{1}{v^{\alpha+\beta}\sqrt{(1+v^\alpha)}}$$

Now by the property of Sadik transform of integral of a function, we have

$$S\left\{ \int_0^t erf(\sqrt{x}) dx \right\} = \frac{1}{v^\alpha} \left[\frac{1}{v^{\alpha+\beta}\sqrt{(1+v^\alpha)}} \right]$$

$$\Rightarrow S \left\{ \int_0^t \operatorname{erf}(\sqrt{x}) dx \right\} = \frac{1}{v^{2\alpha+\beta} \sqrt{(1+v^\alpha)}}$$

(14)

By the definition of Sadik transform, we have

$$S \left\{ \int_0^t \operatorname{erf}(\sqrt{x}) dx \right\} = \frac{1}{v^\beta} \int_0^\infty e^{-tv^\alpha} \left\{ \int_0^t \operatorname{erf}(\sqrt{u}) du \right\} dt$$

(15)

Now by equations (14) and (15), we get

$$\frac{1}{v^\beta} \int_0^\infty e^{-tv^\alpha} \left\{ \int_0^t \operatorname{erf}(\sqrt{u}) du \right\} dt = \frac{1}{v^{2\alpha+\beta} \sqrt{(1+v^\alpha)}}$$

Taking $v^\alpha \rightarrow 1$ in above equation, we have

$$I = \int_0^\infty e^{-t} \left\{ \int_0^t \operatorname{erf}(\sqrt{x}) dx \right\} dt = \frac{1}{\sqrt{2}}$$

7.4 Evaluate the improper integral $I = \int_0^\infty e^{-2t} \left[\frac{d}{dt} \operatorname{erf}(2\sqrt{t}) \right] dt$.

We have $S\{\operatorname{erf}(\sqrt{t})\} = \frac{1}{v^{\alpha+\beta} \sqrt{(1+v^\alpha)}}$

Now by change of scale property of Sadik transform, we have

$$S\{\operatorname{erf}(2\sqrt{t})\} = \frac{1}{4} \left[\frac{1}{v^\beta \left(\frac{v^\alpha}{4}\right) \sqrt{\left(1 + \frac{v^\alpha}{4}\right)}} \right]$$

$$\Rightarrow S\{\operatorname{erf}(2\sqrt{t})\} = \frac{2}{v^{\alpha+\beta} \sqrt{(4+v^\alpha)}}$$

Now using the property of Sadik transform of derivative of a function, we have

$$S \left\{ \frac{d}{dt} \operatorname{erf}(2\sqrt{t}) \right\} = v^\alpha \left[\frac{2}{v^{\alpha+\beta} \sqrt{(4+v^\alpha)}} \right] - 0$$

$$\Rightarrow S \left\{ \frac{d}{dt} \operatorname{erf}(2\sqrt{t}) \right\} = \frac{2}{v^\beta \sqrt{(4+v^\alpha)}}$$

(16)

By the definition of Sadik transform, we have

$$S \left\{ \frac{d}{dt} \operatorname{erf}(2\sqrt{t}) \right\} = \frac{1}{v^\beta} \int_0^\infty e^{-tv^\alpha} \left\{ \frac{d}{dt} \operatorname{erf}(2\sqrt{t}) \right\} dt$$

(17)

Now by equations (16) and (17), we get

$$\frac{1}{v^\beta} \int_0^\infty e^{-tv^\alpha} \left\{ \frac{d}{dt} \operatorname{erf}(2\sqrt{t}) \right\} dt = \frac{2}{v^\beta \sqrt{(4+v^\alpha)}}$$

Taking $v^\alpha \rightarrow 2$ in above equation, we have

$$\int_0^\infty e^{-2t} \left\{ \frac{d}{dt} \operatorname{erf}(2\sqrt{t}) \right\} dt = \frac{2}{\sqrt{6}}$$

$$\Rightarrow I = \int_0^\infty e^{-2t} \left\{ \frac{d}{dt} \operatorname{erf}(2\sqrt{t}) \right\} dt = \frac{2}{\sqrt{6}}$$

$$\Rightarrow I = \int_0^\infty e^{-2t} \left\{ \frac{d}{dt} \operatorname{erf}(2\sqrt{t}) \right\} dt = \sqrt{\frac{2}{3}}$$

7.5 Evaluate the improper integral $I = \int_0^\infty e^{-5t} [\operatorname{erf} \sqrt{t} * \operatorname{erf} \sqrt{t}] dt$.

By convolution theorem of Sadik transform, we have

$$S\{\operatorname{erf} \sqrt{t} * \operatorname{erf} \sqrt{t}\} = v^\beta S\{\operatorname{erf}(\sqrt{t})\} S\{\operatorname{erf}(\sqrt{t})\}$$

$$= v^\beta \left[\frac{1}{v^{\alpha+\beta} \sqrt{(1+v^\alpha)}} \right] \left[\frac{1}{v^{\alpha+\beta} \sqrt{(1+v^\alpha)}} \right] = \frac{1}{v^\beta v^{2\alpha} (1+v^\alpha)}$$

(18)

Now by the definition of Sadik transform, we have

$$S\{erf \sqrt{t} * erf \sqrt{t}\} = \frac{1}{v\beta} \int_0^{\infty} e^{-tv^{\alpha}} \{erf \sqrt{t} * erf \sqrt{t}\} dt$$

(19)

Now by equations (18) and (19), we get

$$\frac{1}{v\beta} \int_0^{\infty} e^{-tv^{\alpha}} \{erf \sqrt{t} * erf \sqrt{t}\} dt = \frac{1}{v\beta v^{2\alpha}(1+v^{\alpha})}$$

(20)

Taking $v^{\alpha} \rightarrow 5$ in above equation, we have

$$\int_0^{\infty} e^{-5t} \{erf \sqrt{t} * erf \sqrt{t}\} dt = \frac{1}{150}$$

$$\Rightarrow I = \int_0^{\infty} e^{-5t} \{erf \sqrt{t} * erf \sqrt{t}\} dt = \frac{1}{150}.$$

VIII. CONCLUSIONS

In this article, we have successfully discussed the Sadik transform of error function. The given numerical applications in application section show the advantage of Sadik transform of error function for evaluating the improper integral, which contain error function. Results of numerical applications show Sadik transform give the exact solution without any tedious calculation work. In future, Sadik transform can be used in solving vibrating beam problems, heat and mass transfer problems.

REFERENCES

1. Aggarwal, S., Gupta, A.R., Singh, D.P., Asthana, N. and Kumar, N., Application of Laplace transform for solving population growth and decay problems, *International Journal of Latest Technology in Engineering, Management & Applied Science*, 7(9), 141-145, 2018.
2. Lokenath Debnath and Bhatta, D., *Integral transforms and their applications*, Second edition, Chapman & Hall/CRC, 2006.
3. Aggarwal, S. and Gupta, A.R., Solution of linear Volterra integro-differential equations of second kind using Kamal transform, *Journal of Emerging Technologies and Innovative Research*, 6(1), 741-747, 2019.
4. Aggarwal, S. and Sharma, S.D., Application of Kamal transform for solving Abel's integral equation, *Global Journal of Engineering Science and Researches*, 6(3), 82-90, 2019.
5. Aggarwal, S., Chauhan, R. and Sharma, N., A new application of Kamal transform for solving linear Volterra integral equations, *International Journal of Latest Technology in Engineering, Management & Applied Science*, 7(4), 138-140, 2018.
6. Gupta, A.R., Aggarwal, S. and Agrawal, D., Solution of linear partial integro-differential equations using Kamal transform, *International Journal of Latest Technology in Engineering, Management & Applied Science*, 7(7), 88-91, 2018.
7. Aggarwal, S., Sharma, N. and Chauhan, R., Application of Kamal transform for solving linear Volterra integral equations of first kind, *International Journal of Research in Advent Technology*, 6(8), 2081-2088, 2018.
8. Aggarwal, S., Gupta, A.R., Asthana, N. and Singh, D.P., Application of Kamal transform for solving population growth and decay problems, *Global Journal of Engineering Science and Researches*, 5(9), 254-260, 2018.
9. Aggarwal, S., Kamal transform of Bessel's functions, *International Journal of Research and Innovation in Applied Science*, 3(7), 1-4, 2018.
10. Aggarwal, S. and Singh, G.P., Kamal transform of error function, *Journal of Applied Science and Computations*, 6(5), 2223-2235, 2019.
11. Aggarwal, S., Sharma, N. and Chauhan, R., Application of Aboodh transform for solving linear Volterra integro-differential equations of second kind, *International Journal of Research in Advent Technology*, 6(6), 1186-1190, 2018.
12. Aggarwal, S., Sharma, N. and Chauhan, R., A new application of Aboodh transform for solving linear Volterra integral equations, *Asian Resonance*, 7(3), 156-158, 2018.
13. Aggarwal, S., Asthana, N. and Singh, D.P., Solution of population growth and decay problems by using Aboodh transform method, *International Journal of Research in Advent Technology*, 6(10), 2706-2710, 2018.
14. Aggarwal, S., Sharma, N. and Chauhan, R., Application of Aboodh transform for solving linear Volterra integral equations of first kind, *International Journal of Research in Advent Technology*, 6(12), 3745-3753, 2018.

15. Aggarwal, S. and Sharma, S.D., Solution of Abel's integral equation by Aboodh transform method, *Journal of Emerging Technologies and Innovative Research*, 6(4), 317-325, 2019.
16. Aggarwal, S., Gupta, A.R. and Agrawal, D., Aboodh transform of Bessel's functions, *Journal of Advanced Research in Applied Mathematics and Statistics*, 3(3), 1-5, 2018.
17. Chauhan, R. and Aggarwal, S., Solution of linear partial integro-differential equations using Mahgoub transform, *Periodic Research*, 7(1), 28-31, 2018.
18. Aggarwal, S., Sharma, N., Chauhan, R., Gupta, A.R. and Khandelwal, A., A new application of Mahgoub transform for solving linear ordinary differential equations with variable coefficients, *Journal of Computer and Mathematical Sciences*, 9(6), 520-525, 2018.
19. Aggarwal, S., Chauhan, R. and Sharma, N., A new application of Mahgoub transform for solving linear Volterra integral equations, *Asian Resonance*, 7(2), 46-48, 2018.
20. Aggarwal, S., Sharma, N. and Chauhan, R., Solution of linear Volterra integro-differential equations of second kind using Mahgoub transform, *International Journal of Latest Technology in Engineering, Management & Applied Science*, 7(5), 173-176, 2018.
Aggarwal, S., Sharma, N. and Chauhan, R., Application of Mahgoub transform for solving linear Volterra integral equations of first kind, *Global Journal of Engineering Science and Researches*, 5(9), 154-161, 2018.
21. Aggarwal, S., Pandey, M., Asthana, N., Singh, D.P. and Kumar, A., Application of Mahgoub transform for solving population growth and decay problems, *Journal of Computer and Mathematical Sciences*, 9(10), 1490-1496, 2018.
22. Aggarwal, S., Sharma, N. and Chauhan, R., Mahgoub transform of Bessel's functions, *International Journal of Latest Technology in Engineering, Management & Applied Science*, 7(8), 32-36, 2018.
23. Aggarwal, S., Gupta, A.R., Sharma, S.D., Chauhan, R. and Sharma, N., Mahgoub transform (Laplace-Carson transform) of error function, *International Journal of Latest Technology in Engineering, Management & Applied Science*, 8(4), 92-98, 2019.
24. Gupta, A.R., Solution of Abel's integral equation using Mahgoub transform method, *Journal of Emerging Technologies and Innovative Research*, 6(4), 252-260, 2019.
25. Aggarwal, S., Sharma, N. and Chauhan, R., Solution of population growth and decay problems by using Mohand transform, *International Journal of Research in Advent Technology*, 6(11), 3277-3282, 2018.
26. Aggarwal, S., Sharma, N. and Chauhan, R., Solution of linear Volterra integral equations of second kind using Mohand transform, *International Journal of Research in Advent Technology*, 6(11), 3098-3102, 2018.
27. Aggarwal, S., Chauhan, R. and Sharma, N., Mohand transform of Bessel's functions, *International Journal of Research in Advent Technology*, 6(11), 3034-3038, 2018.
28. Aggarwal, S., Sharma, S.D. and Gupta, A.R., A new application of Mohand transform for handling Abel's integral equation, *Journal of Emerging Technologies and Innovative Research*, 6(3), 600-608, 2019.
29. Aggarwal, S. and Chaudhary, R., A comparative study of Mohand and Laplace transforms, *Journal of Emerging Technologies and Innovative Research*, 6(2), 230-240, 2019.
30. Aggarwal, S., Sharma, N., Chaudhary, R. and Gupta, A.R., A comparative study of Mohand and Kamal transforms, *Global Journal of Engineering Science and Researches*, 6(2), 113-123, 2019.
31. Aggarwal, S., Mishra, R. and Chaudhary, A., A comparative study of Mohand and Elzaki transforms, *Global Journal of Engineering Science and Researches*, 6(2), 203-213, 2019.
32. Aggarwal, S. and Chauhan, R., A comparative study of Mohand and Aboodh transforms, *International Journal of Research in Advent Technology*, 7(1), 520-529, 2019.
33. Aggarwal, S. and Sharma, S.D., A comparative study of Mohand and Sumudu transforms, *Journal of Emerging Technologies and Innovative Research*, 6(3), 145-153, 2019.
34. Aggarwal, S., A comparative study of Mohand and Mahgoub transforms, *Journal of Advanced Research in Applied Mathematics and Statistics*, 4(1), 1-7, 2019.
35. Aggarwal, S., Gupta, A.R. and Kumar, D., Mohand transform of error function, *International Journal of Research in Advent Technology*, 7(5), 217-224, 2019.
36. Aggarwal, S., Chauhan, R. and Sharma, N., Application of Elzaki transform for solving linear Volterra integral equations of first kind, *International Journal of Research in Advent Technology*, 6(12), 3687-3692, 2018.
37. Aggarwal, S., Singh, D.P., Asthana, N. and Gupta, A.R., Application of Elzaki transform for solving population growth and decay problems, *Journal of Emerging Technologies and Innovative Research*, 5(9), 281-284, 2018.
38. Aggarwal, S., Elzaki transform of Bessel's functions, *Global Journal of Engineering Science and Researches*, 5(8), 45-51, 2018.
39. Aggarwal, S., Gupta, A.R. and Kumar, A., Elzaki transform of error function, *Global Journal of Engineering Science and Researches*, 6(5), 412-422, 2019.

40. Aggarwal, S., Sharma, S.D. and Gupta, A.R., Application of Shehu transform for handling growth and decay problems, *Global Journal of Engineering Science and Researches*, 6(4), 190-198, 2019.
41. Aggarwal, S., Gupta, A.R. and Sharma, S.D., A new application of Shehu transform for handling Volterra integral equations of first kind, *International Journal of Research in Advent Technology*, 7(4), 439-445, 2019.
42. Aggarwal, S. and Gupta, A.R., Shehu transform for solving Abel's integral equation, *Journal of Emerging Technologies and Innovative Research*, 6(5), 101-110, 2019.
43. Aggarwal, S. and Gupta, A.R., Sumudu transform for the solution of Abel's integral equation, *Journal of Emerging Technologies and Innovative Research*, 6(4), 423-431, 2019.
44. Mahgoub, M.A.M. and Alshikh, A.A., An application of new transform "Mahgoub Transform" to partial differential equations, *Mathematical Theory and Modeling*, 7(1), 7-9, 2017.
45. Fadhil, R.A., Convolution for Kamal and Mahgoub transforms, *Bulletin of Mathematics and Statistics Research*, 5(4), 11-16, 2017.
46. Taha, N.E.H., Nuruddeen, R.I., Abdelilah, K. and Hassan, S., Dualities between "Kamal & Mahgoub integral transforms" and "Some famous integral transforms", *British Journal of Applied Science & Technology*, 20(3), 1-8, 2017.
47. Abdelilah, K. and Hassan, S., The use of Kamal transform for solving partial differential equations, *Advances in Theoretical and Applied Mathematics*, 12(1), 7-13, 2017.
48. Abdelilah, K. and Hassan, S., The new integral transform "Kamal Transform", *Advances in Theoretical and Applied Mathematics*, 11(4), 451-458, 2016.
49. Aboodh, K.S., Application of new transform "Aboodh Transform" to partial differential equations, *Global Journal of Pure and Applied Mathematics*, 10(2), 249-254, 2014.
50. Aboodh, K.S., Farah, R.A., Almardy, I.A. and Osman, A.K., Solving delay differential equations by Aboodh transformation method, *International Journal of Applied Mathematics & Statistical Sciences*, 7(2), 55-64, 2018.
51. Aboodh, K.S., Farah, R.A., Almardy, I.A. and Almostafa, F.A., Solution of partial integro-differential equations by using Aboodh and double Aboodh transforms methods, *Global Journal of Pure and Applied Mathematics*, 13(8), 4347-4360, 2016.
52. Aggarwal, S. and Singh, G.P., Aboodh transform of error function, *Universal Review*, 10(6), 137-150, 2019.
53. Kumar, P.S., Saranya, C., Gnanavel, M.G. and Viswanathan, A., Applications of Mohand transform for solving linear Volterra integral equations of first kind, *International Journal of Research in Advent Technology*, 6(10), 2786-2789, 2018.
54. Kumar, P.S., Gomathi, P., Gowri, S. and Viswanathan, A., Applications of Mohand transform to mechanics and electrical circuit problems, *International Journal of Research in Advent Technology*, 6(10), 2838-2840, 2018.
55. Sathya, S. and Rajeswari, I., Applications of Mohand transform for solving linear partial integro-differential equations, *International Journal of Research in Advent Technology*, 6(10), 2841-2843, 2018.
56. Elzaki, T.M., The new integral transform "Elzaki Transform", *Global Journal of Pure and Applied Mathematics*, 1, pp. 57-64, 2011.
57. [58] Elzaki, T.M. and Ezaki, S.M., On the Elzaki transform and ordinary differential equation with variable coefficients, *Advances in Theoretical and Applied Mathematics*, 6(1), 41-46, 2011.
58. Elzaki, T.M. and Ezaki, S.M., Applications of new transform "Elzaki transform" to partial differential equations, *Global Journal of Pure and Applied Mathematics*, 7(1), 65-70, 2011.
59. Maitama, S. and Zhao, W., New integral transform: Shehu transform a generalization of Sumudu and Laplace transform for solving differential equations, *International Journal of Analysis and Applications*, 17(2), 167-190, 2019.
60. Watugula, G.K., Sumudu transform: A new integral transform to solve differential equations and control engineering problems, *International Journal of Mathematical Education in Science and Technology*, 24(1), 35-43, 1993.
61. Belgacem, F.B.M. and Karaballi, A.A., Sumudu transform fundamental properties investigations and applications, *Journal of Applied Mathematics and Stochastic Analysis*, 1-23, 2006.
62. Sadikali, L.S., Introducing a new integral transform: Sadik transform, *American International Journal of Research in Science, Technology, Engineering & Mathematics*, 22(1), 100-102, 2018.
63. Sadikali, L.S., Sadik transform in control theory, *International Journal of Innovative Science and Research Technology*, 3(5), 396-398, 2018.
64. Shivaji, S.P. and Nitin, S.A., Application of Sadik transform for solving Bessel's function and linear Volterra integral equation of convolution type, *Cikitusi Journal for Multidisciplinary Research*, 6(3), 85-91, 2019.

65. Zill, D.G., *Advanced engineering mathematics*, Jones & Bartlett, 2016.
66. Korn, G.A. and Korn, T.M., *Mathematical handbook for scientists and engineers: Definitions, theorems and formulas for reference and review*, Dover Publications, 2000.
67. Zill, D.G., *A first course in differential equations with modeling applications*, Brooks Cole, 2008.
68. Readey, D.W., *Kinetics in materials science and engineering*, CRC Press, 2017.
69. Andrews, L.C., *Special functions of mathematics for engineers*, Second edition, SPIE Publications, 1997.
70. Andrews, L.C., *Field guide to special functions for engineers*, SPIE Press, 2011.